

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	160	(713/184).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:14
L2	147	(705/72).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:14
L3	335	(705/75).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:17
L4	0	("random").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:17
L5	554461	random	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:17
L6	1553607	password or pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:17
L7	479	TPIN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:17
L8	66197	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:18

L9	7015	8 and formula	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:18
L10	13	8 and (arithmetic adj formula)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:18
L11	1032535	operator or operand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:18
L12	20184	11 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:18
L13	20184	12 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:18
L14	86316	"15" and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:19
L15	8859	screen and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:19
L16	2943	15 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:19

L17	741	16 and digit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:20
L18	167	17 and authenticate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:20
L19	213	17 and (login or logon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:20
L20	727	17 and access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:20
L21	192	20 and ATM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:27
L22	1950134	formula or equation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:27
L23	211644	(PIN or TPIN or access).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:27
L24	15405	(formula or equation).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:27

L25	39	23 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:28
L26	17	password.ti. and logic.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:28
L27	232	pin.ti. and logic.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:28
L28	4	pin.ti. and computation.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:28
L29	17	pin.ti. and calculation.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:28
L30	8	pin.ti. and compute.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 20:29
S1	35192	(password or PIN) and random and (function or expression or equation or formula)	USPAT; EPO; DERWENT	OR	ON	2005/01/31 20:13
S2	18964	((password or PIN) and random and (function or expression or equation or formula)) and user	USPAT; EPO; DERWENT	OR	ON	2003/12/01 10:38
S3	11504	((((password or PIN) and random and (function or expression or equation or formula)) and user) and (saved or register or registration)	USPAT; EPO; DERWENT	OR	ON	2003/12/01 10:39

S4	6644	(((((password or PIN) and random and (function or expression or equation or formula)) and user) and (saved or register or registration)) and (ID or identification))	USPAT; EPO; DERWENT	OR	ON	2003/12/01 10:39
S5	6629	(((((password or PIN) and random and (function or expression or equation or formula)) and user) and (saved or register or registration)) and (ID or identification)) and (presented or displayed or shown or presents or displays or shows)	USPAT; EPO; DERWENT	OR	ON	2003/12/09 10:44
S6	511	(((((password or PIN) and random and (function or expression or equation or formula)) and user) and (saved or register or registration)) and (ID or identification)) and (presented or displayed or shown or presents or displays or shows)) and (user adj ID)	USPAT; EPO; DERWENT	OR	ON	2003/12/01 10:41
S7	174	(((((password or PIN) and random and (function or expression or equation or formula)) and user) and (saved or register or registration)) and (ID or identification)) and (presented or displayed or shown or presents or displays or shows)) and (user adj ID)) and @py<="1999"	USPAT; EPO; DERWENT	OR	ON	2003/12/01 10:42
S8	2	("5321755").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:43
S9	2	("5311594").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:43
S10	2	("5276314").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:44
S11	2	("5239583").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:45
S12	2	("5233655").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/09 10:44

S13	2	("5196840").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:47
S14	2	("5168520").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:47
S15	2	("5163097").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:48
S16	2	("5161190").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/09 10:44
S17	5587	PIN near8 logic	USPAT; EPO; DERWENT	OR	OFF	2003/12/01 10:49
S18	3913	PIN near4 logic	USPAT; EPO; DERWENT	OR	OFF	2003/12/01 10:49
S19	1414	(PIN near4 logic) and random	USPAT; EPO; DERWENT	OR	OFF	2003/12/01 10:50
S20	577	((PIN near4 logic) and random) and (calculate or compute or solve)	USPAT; EPO; DERWENT	OR	ON	2003/12/01 10:50
S21	927	((PIN near4 logic) and random) and @py<"1999"	USPAT; EPO; DERWENT	OR	ON	2003/12/01 10:50
S22	392	((((PIN near4 logic) and random) and (calculate or compute or solve)) and @py<"1999"	USPAT; EPO; DERWENT	OR	ON	2003/12/09 10:43
S23	2	("3587051").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/09 10:45
S24	4	("4032931").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:52
S25	4	("4333090").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:57
S26	2	("4502048").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:57

S27	2	("4852165").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/01 10:57
S28	0	("PINand(equationorformulaorexpressionorfunctionandrandom)").PN.	USPAT; USOCR; EPO; DERWENT	OR	OFF	2003/12/09 10:46
S29	52723	PIN and (equation or formula or expression or function and random)	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:47
S30	23928	(PIN and (equation or formula or expression or function and random)) and random	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:47
S31	52723	(PIN and (equation or formula or expression or function and random)) and py<"1999"	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:47
S32	34305	(PIN and (equation or formula or expression or function and random)) and @py<"1999"	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:48
S33	14385	((PIN and (equation or formula or expression or function and random)) and @py<"1999") and ((PIN and (equation or formula or expression or function and random)) and random)	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:49
S34	14385	((((PIN and (equation or formula or expression or function and random)) and @py<"1999") and ((PIN and (equation or formula or expression or function and random)) and random)) and random	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:49
S35	1403	(((((PIN and (equation or formula or expression or function and random)) and @py<"1999") and ((PIN and (equation or formula or expression or function and random)) and random)) and random) and solve	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:50
S36	1357	(((((PIN and (equation or formula or expression or function and random)) and @py<"1999") and ((PIN and (equation or formula or expression or function and random)) and random)) and random) and solve) and (function or equation)	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:51
S37	138368	(function or equation or expression or formula).ti.	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:53

S38	320	((function or equation or expression or formula).ti.) and PIN.ti.	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:57
S39	4	((((function or equation or expression or formula).ti.) and PIN.ti.) and random	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:54
S40	31	"5163097"	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:55
S41	685	((function or equation or expression or formula).ti.) and random.ti.	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:57
S42	499	((((function or equation or expression or formula).ti.) and random.ti.) and @py<"1999"	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 10:59
S43	715778	((((function or equation or expression or formula).ti.) and random.ti.) and @py<"1999") and password or PIN	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 11:00
S44	8	((((function or equation or expression or formula).ti.) and random.ti.) and @py<"1999") and (password or PIN or passcode or (entry adj code))	USPAT; EPO; DERWENT	OR	OFF	2003/12/09 11:00
S45	191	(713/182).CCLS.	USPAT; USOCR	OR	OFF	2004/05/19 13:25
S46	181	(713/183).CCLS.	USPAT; USOCR	OR	OFF	2004/05/19 13:25
S47	102	(713/184).CCLS.	USPAT; USOCR	OR	OFF	2004/05/19 13:25
S48	227	(713/185).CCLS.	USPAT; USOCR	OR	OFF	2004/05/19 13:25
S49	150	(713/186).CCLS.	USPAT; USOCR	OR	OFF	2004/05/19 13:25
S50	557	(713/202).CCLS.	USPAT; USOCR	OR	OFF	2004/05/19 13:25
S51	398480	Operand or operator	USPAT	OR	OFF	2004/05/19 13:25
S52	482501	PIN	USPAT	OR	OFF	2004/05/19 13:25
S53	107143	(Operand or operator) and PIN	USPAT	OR	OFF	2004/05/19 13:25
S54	97282	((Operand or operator) and PIN) and (computer or calculate or algorithm or formula or operation)	USPAT	OR	OFF	2004/05/19 13:26
S55	7929	PIN.ti.	USPAT	OR	OFF	2004/05/19 13:26
S56	23	PIN.ti. and (personal adj identification adj number)	USPAT	OR	OFF	2004/05/19 13:26
S57	3825	personal adj identification adj number	USPAT	OR	OFF	2004/05/19 13:26

S58	3149	(personal adj identification adj number) and PIN	USPAT	OR	OFF	2004/05/19 13:27
S59	1410	((personal adj identification adj number) and PIN) and (Operand or operator)	USPAT	OR	OFF	2004/05/19 13:27